

# PC EZ SHINE AEROSOL SDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name on Label: PROFESSIONALS CHOICE EZ SHINE

Other Identification: NONE

Use of the substance/mixture: COATING

Company name : MOORE OIL COMPANY  
4033 WEST CUSTER AVE

MILWAUKEE, WI 53209 (414) 462-3200

Emergency number: (800) 424-9300 - CHEMTREC

## SECTION 2: Hazards identification

**Physical hazards** Flammable aerosols Category 1

**Health hazards** Skin corrosion/irritation Category 2 Germ cell mutagenicity Category 1B

Carcinogenicity Category 1B Reproductive toxicity (fertility, the unborn child) Category 2

Specific target organ toxicity, repeated exposure Category 2 Aspiration hazard Category 1

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger

**Hazard statement** Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause genetic defects. May cause cancer. Suspected of damaging the unborn child. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure.

### Precautionary statement

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

**Storage** Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## SECTION 3: Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Butane		106-97-8	20 - 40
Naphtha, (Petroleum), Hydrotreated Light		64742-49-0	20 - 40
n-Hexane		110-54-3	10 - 20
Propane		74-98-6	10 - 20
Cyclohexane		110-82-7	0.1 - 1

# PC EZ SHINE AEROSOL SDS

Other components below reportable levels

10 - 20

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## SECTION 4: First aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Most important symptoms/effects, acute and delayed** Aspiration may cause pulmonary edema and pneumonitis. Dizziness. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

### **Indication of immediate medical attention and special treatment needed**

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## SECTION 5: Fire-fighting measures

**Suitable extinguishing media** Foam. Powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical** Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**Fire fighting equipment/instructions** Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

**General fire hazards** Extremely flammable aerosol.

## SECTION 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate

# PC EZ SHINE AEROSOL SDS

area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

## SECTION 7: Handling and storage

**Precautions for safe handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Level 3 Aerosol. Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

## SECTION 8: Exposure controls/personal protection

### Occupational exposure limits US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Cyclohexane (CAS 110-82-7)	PEL	1050 mg/m <sup>3</sup> 300 ppm
n-Hexane (CAS 110-54-3)	PEL	1800 mg/m <sup>3</sup> 500 ppm
Propane (CAS 74-98-6)	PEL	1800 mg/m <sup>3</sup> 1000 ppm

### US. ACGIH Threshold Limit Values

Components	Type	Value
Butane (CAS 106-97-8)	STEL	1000 ppm
Cyclohexane (CAS 110-82-7)	TWA	100 ppm
n-Hexane (CAS 110-54-3)	TWA	50 ppm

### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Butane (CAS 106-97-8)	TWA	1900 mg/m <sup>3</sup> 800 ppm
Cyclohexane (CAS 110-82-7)	TWA	1050 mg/m <sup>3</sup> 300 ppm
n-Hexane (CAS 110-54-3)	TWA	180 mg/m <sup>3</sup> 50 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m <sup>3</sup> 1000 ppm

# PC EZ SHINE AEROSOL SDS

## Biological limit values

### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
n-Hexane (CAS 110-54-3)	0.4 mg/l	2,5-Hexanedio n, without hydrolysis	Urine *	

\* - For sampling details, please see the source document.

### Exposure guidelines

#### US - California OELs: Skin designation

n-Hexane (CAS 110-54-3) Can be absorbed through the skin.

#### US ACGIH Threshold Limit Values: Skin designation

n-Hexane (CAS 110-54-3) Can be absorbed through the skin.

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Skin protection Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. **Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## SECTION 9: Physical and chemical properties

<b>Appearance</b>	<b>Physical state</b> Liquid.	<b>Form</b> Aerosol.
<b>Color</b> Not available.	<b>Odor</b> Not available.	<b>Odor threshold</b> Not available.
<b>pH</b> Not applicable estimated		<b>Melting point/freezing point</b> Not available.
<b>Initial boiling point and boiling range</b> 8.82 °F (-12.88 °C) estimated		
<b>Flash point</b> -156.0 °F (-104.4 °C) Propellant estimated		<b>Evaporation rate</b> Not available.
<b>Flammability (solid, gas)</b> Not applicable.		
<b>Upper/lower flammability or explosive limits</b>		
<b>Flammability limit – lower (%)</b> Not available.		<b>Flammability limit – upper (%)</b> Not available.
<b>Explosive limit - lower (%)</b> Not available.		<b>Explosive limit - upper (%)</b> Not available.
<b>Vapor pressure</b> 40 - 50 psig @ 70F estimated		<b>Vapor density</b> Not available.
<b>Relative density</b> 0.658 g/cm <sup>3</sup> estimated		<b>Solubility(ies) Solubility (water)</b> Not available.
<b>Partition coefficient (n-octanol/water)</b> Not available.		<b>Auto-ignition temperature</b> 496.4 °F (258 °C)
estimated	<b>Decomposition temperature</b> Not available.	<b>Viscosity</b> Not available.
<b>Other information</b>	<b>Density</b> 0.69 g/cm <sup>3</sup> estimated	<b>Explosive properties</b> Not explosive.
<b>Flammability class</b> Flammable IA estimated		<b>Heat of combustion</b> 35.46 kJ/g estimated
<b>Heat of combustion (NFPA 30B)</b> 34.79 kJ/g estimated		<b>Oxidizing properties</b> Not oxidizing.
<b>Percent volatile</b> 83.04 % estimated		<b>Specific gravity</b> 0.658 estimated estimated
<b>VOC (Weight %)</b> 83.62 % estimated		

# PC EZ SHINE AEROSOL SDS

## SECTION 10: Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous reactions** Hazardous polymerization does not occur.

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

**Hazardous decomposition products** No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### Information on likely routes of exposure

**Inhalation** May cause damage to organs through prolonged or repeated exposure by inhalation.

**Skin contact** Causes skin irritation.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

**Symptoms related to the physical, chemical and toxicological characteristics** Aspiration may cause pulmonary edema and pneumonitis. Dizziness. Skin irritation. May cause redness and pain.

**Information on toxicological effects** **Acute toxicity** May be fatal if swallowed and enters airways.

Product	Species	Test Results
11 OZ EZ SHINE LB 12PK		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	4171 mg/kg
<b>Inhalation</b>		
LC50	Rat	948 mg/l/4h
<b>Components Species Test Results</b>		
Butane (CAS 106-97-8)		
<b>Acute</b>		
<b>Inhalation</b>		
LC50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes
	Rat	1355 mg/l
Cyclohexane (CAS 110-82-7)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 32880 mg/m3, 4 Hours > 5540 ppm, 4 Hours
<b>Oral</b>		
LD50	Rabbit	> 5000 mg/kg
	Rat	> 5000 mg/kg
Naphtha, (Petroleum), Hydrotreated Light (CAS 64742-49-0)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Guinea pig; Rabbit	> 9.4 ml/kg, 24 Hours
	Rabbit	> 1900 mg/kg, 24 Hours
<b>Inhalation</b>		

# PC EZ SHINE AEROSOL SDS

LC50	Rat	> 5000 mg/m <sup>3</sup> , 4 Hours > 4980 mg/m <sup>3</sup> > 4980 mg/m <sup>3</sup> , 4 Hours > 4.96 mg/l, 4 Hours 13700 ppm, 4 Hours
------	-----	--

## Oral

LD50 n-Hexane (CAS 110-54-3)	Rat	4820 mg/kg
---------------------------------	-----	------------

## Acute

### Dermal

LD50	Rabbit	> 2000 mg/kg, 4 Hours > 5 ml/kg, 4 Hours
------	--------	---

### Inhalation

LC50 > 31.86 mg/l 73860 ppm, 4 Hours	Rat	> 5000 ppm, 24 Hours
--	-----	----------------------

## Oral

LD50	Rat	24 ml/kg 24 g/kg
	Wistar rat	49 g/kg

Propane (CAS 74-98-6)

## Acute

### Inhalation

LC50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes
	Rat	1355 mg/l 658 mg/l/4h

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** May cause genetic defects.

**Carcinogenicity** May cause cancer.

**IARC Monographs. Overall Evaluation of Carcinogenicity** Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** Not listed.

**Reproductive toxicity** Suspected of damaging fertility. Suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Chronic effects** May cause damage to organs through prolonged or repeated exposure. Prolonged exposure may cause chronic effects.

## SECTION 12: Ecological information

### Ecotoxicity

# PC EZ SHINE AEROSOL SDS

Product	Species	Test Results
11 OZ EZ SHINE LB 12PK		
<b>Aquatic</b>		
Algae IC50	Algae	9566 mg/L, 72 Hours
Crustacea EC50	Daphnia	1139 mg/L, 48 Hours
Fish LC50	Fish	16.5681 mg/L, 96 Hours
<b>Components</b>		
Cyclohexane (CAS 110-82-7)		
<b>Aquatic</b>		
Fish LC50	Fathead minnow (Pimephales promelas)	23.03 - 42.07 mg/l, 96 hours
n-Hexane (CAS 110-54-3)		
<b>Aquatic</b>		
Fish LC50	Fathead minnow (Pimephales promelas)	2.101 - 2.981 mg/l, 96 hours
* Estimates for product may be based on additional component data not shown.		
<b>Persistence and degradability</b> No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>		
<b>Partition coefficient n-octanol / water (log Kow)</b>		
Butane	2.89	
Cyclohexane	3.44	
n-Hexane	3.9	
Propane	2.36	
<b>Mobility in soil</b> No data available.		
<b>Other adverse effects</b> No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

## SECTION 13: Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## SECTION 14: Transport information

**DOT** UN number UN1950 **UN proper shipping name** Aerosols, flammable

**Transport hazard class(es)** Class 2.1 **Subsidiary risk -** **Label(s)** None

**Packing group** Not applicable.

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** N82 **Packaging exceptions** 306 **Packaging non bulk** None

**Packaging bulk** None

# PC EZ SHINE AEROSOL SDS

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

**IATA**                      **UN number** UN1950                      **UN proper shipping name** Aerosols, flammable  
**Transport hazard class(es)**      **Class** 2.1                      **Subsidiary risk -**                      **Label(s)** 2.1  
**Packing group** Not applicable.                      **Environmental hazards** Yes                      **ERG Code** 10L  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
**Other information**

**Passenger and cargo aircraft** Allowed with restrictions.      **Cargo aircraft only** Allowed with restrictions.  
**Packaging Exceptions** LTD QTY

**IMDG**                      **UN number** UN1950                      **UN proper shipping name** AEROSOLS  
**Transport hazard class(es)**      **Class** 2.1                      **Subsidiary risk -**                      **Label(s)** 2.1  
**Packing group** Not applicable.      **Environmental hazards** Marine pollutant Yes      **EmS** F-D, S-U  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
**Packaging Exceptions** LTD QTY                      **Transport in bulk according to** Not established.

**Annex II of MARPOL 73/78 and the IBC Code**

**DOT**                      **IATA; IMDG**                      **Marine pollutant**



**General information** IMDG Regulated Marine Pollutant.

## SECTION 15: Regulatory information

### US federal regulations

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)** Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** Cyclohexane (CAS 110-82-7) Listed.  
n-Hexane (CAS 110-54-3) Listed.

**SARA 304 Emergency release notification** Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard – Yes      Delayed Hazard – Yes

Fire Hazard – Yes      Pressure Hazard – No      Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** Not listed.

**SARA 311/312 Hazardous chemical** No

### SARA 313 (TRI reporting)

**Chemical name**                      **CAS number**                      **% by wt.**

n-Hexane                      110-54-3                      10 - 20

Cyclohexane                      110-82-7                      0.1 - 1

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

n-Hexane (CAS 110-54-3)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)                      Propane (CAS 74-98-6)



# PC EZ SHINE AEROSOL SDS

**Safe Drinking Water Act (SDWA)** Not regulated.

## US state regulations

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)** Not listed.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))** Butane (CAS 106-97-8)

Naphtha, (Petroleum), Hydrotreated Light (CAS 64742-49-0) n-Hexane (CAS 110-54-3)

## US. Massachusetts RTK - Substance List

Butane (CAS 106-97-8) Cyclohexane (CAS 110-82-7) n-Hexane (CAS 110-54-3)

Propane (CAS 74-98-6)

## US. New Jersey Worker and Community Right-to-Know Act

Butane (CAS 106-97-8) Cyclohexane (CAS 110-82-7) n-Hexane (CAS 110-54-3)

Propane (CAS 74-98-6)

## US. Pennsylvania Worker and Community Right-to-Know Law

Butane (CAS 106-97-8) Cyclohexane (CAS 110-82-7) n-Hexane (CAS 110-54-3)

Propane (CAS 74-98-6)

## US. Rhode Island RTK

Butane (CAS 106-97-8) Cyclohexane (CAS 110-82-7) n-Hexane (CAS 110-54-3)

Propane (CAS 74-98-6)

## US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

## US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Benzene (CAS 71-43-2) Listed: February 27, 1987

Ethyl Benzene (CAS 100-41-4) Listed: June 11, 2004

## US - California Proposition 65 - CRT: Listed date/Developmental toxin

Benzene (CAS 71-43-2) Listed: December 26, 1997

Toluene (CAS 108-88-3) Listed: January 1, 1991

## US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Benzene (CAS 71-43-2) Listed: December 26, 1997

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# PC EZ SHINE AEROSOL SDS

## SECTION 16: Other information

**Issue date** 05-29-2015

**Revision date** 03-02-2016

**Version #** 03

The information in this Safety Sheet was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This safety sheet was prepared and is to be used only for this product. If the product is used as a component in another product, this safety sheet information may not be applicable.