

# AEROSOL PC FINISH COAT RUBBER COATING SDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name on Label: PROFESSIONALS CHOICE FINISH COAT

Other Identification: N/A

Use of the substance/mixture: rubber coating

Company name : MOORE OIL COMPANY  
4033 WEST CUSTER AVE

MILWAUKEE, WI 53209 (414) 462-3200

Emergency number: (800) 424-9300 - CHEMTREC

## SECTION 2: Hazards identification

GHS – Classification

Aspiration hazard, Category 1

Flammable liquids, Category 2

Skin irritation, Category 2

Specific target organ systemic toxicity - single exposure,  
Category 3, Central nervous system

Acute aquatic toxicity, Category 1

Chronic aquatic toxicity, Category 1

- No smoking.

GHS label elements

Hazard pictograms



Signal word DANGER

Hazard statements H225: Highly flammable liquid and vapor

H304: May be fatal if swallowed and enters airways

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

# AEROSOL PC FINISH COAT RUBBER COATING SDS

P303 + P361 + P353: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P321: Specific treatment (see supplemental first aid instructions on this label).

P331: Do NOT induce vomiting.

P332 + P313: If skin irritation occurs: Get medical advice/ attention.

P362: Take off contaminated clothing and wash before reuse.

P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P391: Collect spillage.

Storage:

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

P403 + P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal:

P501: Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**ACGIH** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen

Route of Entry:

Target Organs: English: No available information

Inhalation: May cause mild irritation.

Skin Contact: May cause mild skin irritation

Eye Contact: May cause mild irritation.

Ingestion: May cause irritation to the mucous membranes.

## SECTION 3: Composition/information on ingredients

Ingredient/Chemical Name	CAS #
Aliphatic Hydrocarbons	142-82-5
Stoddard solvent	8052-41-3
Polydimethylsiloxane	63148-62-9
Nonane	111-84-2
Trimethyl benzene	25551-13-7

## SECTION 4: First aid measures

Inhalation: If breathing is difficult or irritating, move person to fresh air immediately.

Skin Contact: Rinse area with soap and water.

Eye Contact:

Flush immediately with large amounts of clean water for a minimum of 15 minutes, lifting upper and lower lids occasionally. Do not rub eyes. If any irritation persists, seek medical attention.

Ingestion: If swallowed, do not induce vomiting: seek medical advice.

# AEROSOL PC FINISH COAT RUBBER COATING SDS

## SECTION 5: Fire-fighting measures

Flash point : -4 °C (25 °F) Method: Tag closed cup Autoignition temperature : 203.85 °C (398.93 °F)

Suitable extinguishing media: Dry chemical. Carbon dioxide (CO<sub>2</sub>). Alcohol-resistant foam.

Unsuitable extinguishing media: High volume water jet.

Specific hazards during firefighting: Do not allow run-off from firefighting to enter drains or water courses.

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus for firefighting if necessary.

Further information: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Fire and explosion protection: Do not spray on an open flame or any other incandescent material. Use only explosion-proof equipment. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products: Carbon oxides.

## SECTION 6: Accidental release measures

Eliminate all ignition sources (flames, pilot lights, electrical sparks, static charges) and ventilate the area. Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in a chemical waste containers using non-sparking tools. Flush residual spill area with large amounts of water. Dispose of all clean up material in accordance with all applicable federal, state and local health and environmental regulations.

## SECTION 7: Handling and storage

Handling Precautions: Wear proper Personal Protective Equipment when handling. Ground container. Use only non-sparking tools.

Storage Requirements: Keep away from children. Keep away from heat/sparks/open flames/hot surfaces. No smoking.

## SECTION 8: Exposure controls/personal protection

Exposure Controls: Local exhaust recommended.

Protective Equipment: Do not store in direct sunlight. Keep away from heat, open flames or other sources of ignition. Keep away from children. Keep containers tightly closed.

## SECTION 9: Physical and chemical properties

Physical State: Liquid Appearance and odor: Thin clear liquid, bubble gum fragrance

Flash Point: 25 F, (- 4 C) Boiling Point: +208 F (93 C) Specific Gravity: 0.782

Vapor Pressure: 1.60 PSI at 38 °C (100 °F) Evaporation Rate: 3.46

Vapor Density: 0.69, 16 °C(61 °F) pH: n/a Solubility in water: Not soluble Freeze Point: n/a

## SECTION 10: Stability and reactivity

Stability: Yes Conditions to avoid: Keep away from ignition sources, heat, sparks or flames.

Materials to avoid (incompatibility): Oxidizers. Bleach with chlorine.

Hazardous Decomposition products: Carbon Monoxide and other hazardous chemicals.

Hazardous Polymerization: Will not occur

# AEROSOL PC FINISH COAT RUBBER COATING SDS

## SECTION 11: Toxicological information

Acute oral toxicity: LD50: >80 mg/kg Species: guinea pig Method: OECD Test Guideline 401

Information given is based on data obtained from similar substances.

Acute inhalation toxicity: LC50: 2240-2340ppml Exposure time: 4 h Species: rat

Sex: male and female Test atmosphere: vapor

Skin irritation: Irritating to skin.

Eye irritation: Vapors may cause irritation to the eyes, respiratory system and the skin.

Sensitization: Did not cause sensitization on laboratory animals

## SECTION 12: Ecological information

Ecotoxicity effects: Toxicity to fish

LL50: 1.284 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout)

Method: QSAR

LC50: 375 mg/l Exposure time: 96 h Species: Tilapia mosambica (Fish)

Toxicity to daphnia and other aquatic invertebrates

0.1 mg/l Exposure time: 96 h Species: Mysidopsis bahia (mysid shrimp)

Toxicity to algae

EL50: 4.338 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata

Method: QSAR

Biodegradability

Result: Readily biodegradable. 70 % Testing period: 10 d

According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Acute aquatic toxicity: Very toxic to aquatic life.

Chronic aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil: No data available

Other organisms relevant to the environment: No data available

Impact on Sewage Treatment: No data available

Results of PBT assessment: Non-classified PBT substance, Non-classified vPvB substance

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating.

## SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

# AEROSOL PC FINISH COAT RUBBER COATING SDS

## SECTION 14: Transport information

**DOT Transportation Data (49 CFR 172.101):**

**UN Number:** 1206 **UN Shipping Name:** HEPTANES, n.o.s.

**Class & Subsidiary risk:** 3, Flammable **Packing Group:** II

**Special Precautions for user:** See section 5,6,7 & 8 for any associated handling and precautions.

**Hazchem code:** None allocated

## SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO – KNOW

CERCLA Reportable Quantity: This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity: This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity:

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable Quantity: This material does not contain any components with a section 304 EHS RQ.

SARA 313 Ingredients : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act: Ozone-Depletion Potential: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

Ozone-Depletion Potential: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

US State Regulations

Pennsylvania Right To Know: n-Heptane - 142-82-5 New Jersey Right To Know: n-Heptane - 142-82-5

California Prop. 65 Ingredients: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

United States of America TSCA: On the inventory, or in compliance with the inventory

Canada DSL: On the inventory, or in compliance with the inventory.

## SECTION 16: Other information



NFPA Health 2

Fire 3

Reactivity 0

# AEROSOL PC FINISH COAT RUBBER COATING SDS

The information in this Safety Sheet was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This safety sheet was prepared and is to be used only for this product. If the product is used as a component in another product, this safety sheet information may not be applicable.