

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name on Label: PROFESSIONALS CHOICE EXTRACTOR SHAMPOO

Other Identification:

Use of the substance/mixture: Mild Detergent solution, Amber clear liquid with clean odor.

Company name : MOORE OIL COMPANY

**4033 WEST CUSTER AVE** 

MILWAUKEE, WI 53209 (414) 462-3200

Emergency number: (800) 424-9300 - CHEMTREC

## **SECTION 2: Hazards identification**

**GHS Classification** 

Eye Damage: Category 1 Skin Irritation: Category 2 GHS Label Elements Hazard pictograms



Hazard Word - Danger

Hazard Statements – Causes skin irritation. Causes serious eye damage

Precautionary Statements – Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with soap and water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

to do - continue rinsing

Immediately call a POISON CENTER or doctor/physician If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

### SECTION 3: Composition/information on ingredients

**CAS Number** Wt % Component Name 142-31-4 10-20% Sodium Octyl Sulfate

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

#### **SECTION 4: First aid measures**

may have occurred.

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution. Inhalation: Inhalation of any liquid should be considered potentially dangerous, consult a physician. Oral: No first aid should be needed for oral contact. If product is swallowed, Do not induce vomiting. Rinse mouth with water. Keep at Rest. Do not give anything to drink. Seek medical advice. Comments: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product

- There is no specific antidote available.



- Treat symptomatically.

### SECTION 5: Fire-fighting measures

Extinguishing Media: On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers. Fire Fighting Measures: Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool. Unusual Fire Hazards: None.

Hazardous Decomposition Products - Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

### SECTION 6: Accidental release measures

**Personal Precautions:** Use personal protective equipment. Avoid breathing vapors, mist, or gas. Always ensure adequate ventilation. No action should be taken involving any personal risk or without suitable training.

**Environmental Precautions:** If safe to do so, avoid the dispersal of spilled material and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution. Product may be harmful to the environment. Collect spillage.

**Containment and Clean Up:** If safe to do so, stop the leak or spill. Move containers away from the spill area.

Prevent entry into sewers, water courses, basements, and confined areas. Contain and collect spilled material with non-combustible, absorbent material and place in a container for disposal according to local regulations. Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same physical hazards as the spilled product. If assistance is needed call CHEMTREC or Emergency services.

### **SECTION 7: Handling and storage**

### **Precautions for safe handling**

- Handle in accordance with good industrial hygiene and safety practice.
- Avoid inhalation of vapor or mist.
- Avoid contact with skin and eyes.
- Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.
- Avoid localized overheating.

## **Technical measures/Storage conditions**

- Keep container tightly closed in a dry and well-ventilated place.
- Protect from frost.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from: Hazardous reactions may occur

#### SECTION 8: Exposure controls/personal protection

142-31-4 Sodium Octyl Sulfate

none established

**Engineering Controls** 

Local Ventilation: None should be needed. General Ventilation: Recommended.



Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form

formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory

sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system.

Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for

formaldehyde.

## **SECTION 9: Physical and chemical properties**

Flash Point >100°C (212°F) Auto Ignition Not Determined

Upper Flamability Limit Not Determined Lower Flamability Limit Not Determined

Physical State Liquid Color straw pH 8.5 Specific Gravity .99

Vapor Density (Air=1) 1.04 Melting Point °F 32

Vapor Press 23.5 mmHg Water Solubility soluble VOC Content 0%

Odor Neutrol Viscosity Water thin

## **SECTION 10: Stability and reactivity**

Stability Stable Hazardous Polymerization Not Expected to Occur

Conditions to Avoid Oxidizing materials can cause a reaction

**Hazardous Decomposition Products** When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

### **SECTION 11: Toxicological information**

Sodium Octyl Sulfate Rabbit Risk of serious damage to eyes.

Method: according to a standardized method category approach - Unpublished reports

LD50 : > 2,000 mg/kg - Rat, male and female

Method: OECD Test Guideline 402

Not classified as hazardous for acute dermal toxicity according to GHS.

No mortality observed at this dose.

No carcinogenic effects have been observed - Unpublished reports

No effect observed in male or female reproductive system in repeated dose tox studies. – Unpublished

reports The product is not considered to be toxic for development.

### **SECTION 12: Ecological information**

### Acute toxicity to fish

Sodium Octyl Sulfate LC50 - 96 h : > 100 mg/l - Danio rerio (zebra fish) - semi-static test

Analytical monitoring: yes - Method: OECD Test Guideline 203

Not harmful to fish (LC50 > 100 mg/L) - Unpublished reports

Acute toxicity to daphnia and other aquatic invertebrates.

Sodium Octyl Sulfate EC50 - 48 h : > 100 mg/l - Daphnia magna (Water flea) - semi-static test

Analytical monitoring: yes



Not harmful to aquatic invertebrates. (EC50 > 100 mg/L) - Unpublished reports **Toxicity to aquatic plants** 

Sodium Octyl Sulfate ErC50 - 72 h : > 511 mg/l - Scenedesmus subspicatus - static test Analytical monitoring: yes - Method: Directive 67/548/EEC, Annex V, C.3. category approach -Unpublished reports

Not harmful to algae (EC50 > 100 mg/L)

### SECTION 13: Disposal considerations

RCRA Hazard Class (40 CFR 261) When a decision is made to discard this material, as received, is it classified as a hazardous waste? No State or local laws may impose additional regulatory requirements regarding disposal.

## **SECTION 14: Transport information**

Not subject to DOT. Not regulated Not subject to IATA regulations

Not subject to IMDG code.

## **SECTION 15: Regulatory information**

**OSHA Hazards**: Acute Health hazard

**EPCRA - Emergency Planning and Community Right-to-Know** 

CERCLA Reportable Quantity - This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Acute health hazard

**SARA 302:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313: SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65 :** This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List - Not Regulated Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) - Not Regulated Safe Drinking Water Act - Not Regulated

## **SECTION 16: Other information**

Revision Date 6/8/2015 The information in this Safety Sheet was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This safety sheet was prepared and is to be used only for this product. If the product is used as a component in another product, this safety sheet information may not be applicable.