



GLISTEN SDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name on Label: PROFESSIONALS CHOICE GLISTEN
 Other Identification: NONE
 Use of the substance/mixture: GLASS CLEANER
 Company name : MOORE OIL COMPANY
 4033 WEST CUSTER AVE
 MILWAUKEE, WI 53209 (414) 462-3200
 Emergency number: (800) 424-9300 - CHEMTREC

SECTION 2: Hazards identification

Classification of the substance or mixture: Acute toxicity (Oral): Category 1
 Acute toxicity (Inhalation): Category 1
 Serious eye damage: Category 1



Label elements:
 Signal word: Danger
 Other hazards:
 Unknown acute toxicity (GHS-US):

SECTION 3: Composition/information on ingredients

Substance: Mixture

NAME	PRODUCT IDENTIFIER	% BY WT
2-Butoxy ethanol	111-76-2	23 - 28
Isopropyl alcohol	67-63-0	12 – 15
Nonylphenol polyethylene glycol ether	127087-87-0	< 1

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
First-aid measures after inhalation	Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
First-aid measures after skin contact	If on skin, rinse well with water. If on clothes, remove clothes.
First-aid measures after eye contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.



GLISTEN SDS

	If eye irritation persists, consult a specialist.
First-aid measures after ingestion	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician

Most important symptoms and effects, both acute and delayed:

Indication of any immediate medical attention and special treatment needed:

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Use an extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media: High volume water jet

Specific hazards during firefighting: Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous combustion products: Carbon oxides

Specific extinguishing methods: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Further information: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for fire-fighting if necessary.

NFPA Flammable and Combustible Liquids Classification: Flammable Liquid Class III

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Environmental precautions: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling: Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray.

Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage, including any incompatibilities: No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.



GLISTEN SDS

SECTION 8: Exposure controls/personal protection

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
111-76-2	2-Butoxy ethanol	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m ³	NIOSH REL
		TWA	50 ppm 240 mg/m ³	OSHA Z-1
		TWA	25 ppm 120 mg/m ³	OSHA P0
67-63-0	Isopropyl alcohol	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		ST	500 ppm 1225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z-1
		TWA	400 ppm 980 mg/m ³	OSHA P0
		STEL	500 ppm 1225 mg/m ³	OSHA P0
25322-68-3	Polyethylene glycol	TWA	10 mg/m ³	US WEEL

CAS-No.	Components	Control parameters	Biological specimen	Sampling Time	Permissible concentration	Basis
111-76-2	2-Butoxy ethanol	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI
67-63-0	Isopropyl alcohol	Acetone	Urine	End of shift at end of work week	40 mg/l	ACGIH BEI

Exposure controls

Respiratory protection: No personal respiratory protective equipment normally required. In the case of vapor formation use a respirator with an approved filter.

Hand protection: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye Protection: Eye wash bottle with pure water. Tightly fitting safety goggles. Wear face-shield and protective suit for abnormal processing problems.



GLISTEN SDS

Skin and body protection: impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene Measures: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Appearance: liquid Color: BLUE Odor: alcohol-like
Odor Threshold: No data available pH: No data available
Freezing Point (Melting point/freezing point): No data available
Boiling Point (Boiling point/boiling range): No data available
Flash point: No data available Evaporation rate: No data available
Flammability (solid, gas): No data available Burning rate: No data available
Upper explosion limit: No data available Lower explosion limit: No data available
Vapor pressure: No data available Relative vapor density: No data available (Air = 1.0)
Relative density: No data available Reference substance: (water = 1)
Density: No data available Bulk density: No data available
Water solubility: completely miscible Solubility in other solvents: No data available
Partition coefficient: n-octanol/water: No data available
Auto-ignition temperature: No data available Thermal decomposition: No data available
Viscosity, dynamic: No data available
Viscosity, kinematic: No data available

SECTION 10: Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.
Chemical stability: Stable under normal conditions
Possibility of hazardous reactions: No hazards to be specially mentioned.
Conditions to avoid (e.g., static discharge, shock, or vibration): Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials: Strong oxidizing agents
Hazardous decomposition products:

SECTION 11: Toxicological information

Acute toxicity	67-63-0:
Components:	Species: Rabbit
67-63-0:	Result: Mild skin irritation
Acute oral toxicity:	Serious eye damage/eye irritation
LD50 (Rat): 5,045 mg/kg	Product:
Acute inhalation toxicity:	Result: Irritating to eyes.
LC50 (Rat): 16000 ppm	Components:
Acute dermal toxicity:	67-63-0:
LD50 (Rabbit): 12,800 mg/kg	Species: Rabbit
Skin corrosion/irritation	Result: Irritating to eyes.
Product:	Respiratory or skin sensitization
Result: Irritating to skin.	Germ cell mutagenicity
Components:	Components:



GLISTEN SDS

67-63-0:
Genotoxicity in vitro:
Test Type: Ames test
Test species: Salmonella typhimurium
Result: negative
Genotoxicity in vivo:
Test Type: In vivo micronucleus test
Test species: Mouse
Method: OECD Test Guideline 474
Result: negative
Germ cell mutagenicity- Assessment:
Did not show mutagenic effects in animal experiments.
Carcinogenicity
Components:
67-63-0:
Species: Rat
NOAEL: 5,000 ppm
Method: OECD Test Guideline 451
Carcinogenicity - Assessment:
Not classifiable as a human carcinogen.
Reproductive toxicity
Components:
67-63-0:
Reproductive toxicity - Assessment:
Animal testing did not show any effects on fertility.
Did not show teratogenic effects in animal experiments.
STOT - single exposure
Product: No data available
Components:
67-63-0: Exposure routes: Target Organs:
Assessment: Remarks:
Inhalation
Central nervous system
May cause drowsiness or dizziness. The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
STOT - repeated exposure
Product: No data available
Components:
67-63-0: No data available
Aspiration toxicity

Product:
No aspiration toxicity classification
Further information
Product:
Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.
Product:
Acute oral toxicity
:
LD50 (Rat): 960 - 3,980 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity:
LC50 (Rat): 1.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity:
LD50 (Rabbit): 2,000 - 2,991 mg/kg
Assessment: The component/mixture is low toxic after single contact with skin.
Components:
127087-87-0:
Acute oral toxicity: LD50 (Rat): 3,980 mg/kg
Acute inhalation toxicity: Remarks: No data available
Acute dermal toxicity: LD50 (Rabbit): 2,573 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
25322-68-3:
Acute oral toxicity: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity: LC50 (Rat): > 2.5 mg/l
Exposure time: 6 h Test
atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity: LD50 (Rabbit): > 5,000 mg/kg
9014-93-1:
Acute oral toxicity: Remarks: No data available



GLISTEN SDS

Acute inhalation toxicity: Remarks: No data available

Acute dermal toxicity: Remarks: No data available

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

127087-87-0:

Species: Rabbit

Result: Irritating to skin.

25322-68-3:

Remarks: No data available

9014-93-1:

Remarks: No data available

Serious eye damage/eye irritation

Product:

Result: Risk of serious damage to eyes.

Components:

127087-87-0:

Species: Rabbit

Result: Irritating to eyes.

25322-68-3:

Species: Rabbit

Result: No eye irritation

9014-93-1:

Species: Rabbit

Result: Irritating to eyes.

Respiratory or skin sensitization

Product:

Species: Humans

Result: Did not cause sensitization on laboratory animals.

Components:

127087-87-0:

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

25322-68-3:

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitization.

9014-93-1:

Remarks: No data available

Germ cell mutagenicity

Components:

127087-87-0:

Genotoxicity in vitro:

Remarks: No data available

Germ cell mutagenicity- Assessment:

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

25322-68-3:

Genotoxicity in vitro:

Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Germ cell mutagenicity- Assessment:

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

9014-93-1:

Genotoxicity in vitro:

Remarks: No data available

Germ cell mutagenicity- Assessment:

Mutagenicity classification not possible from current data

Carcinogenicity

Components:

127087-87-0:

Remarks: This information is not available.

Carcinogenicity - Assessment:

No evidence of carcinogenicity in animal studies.

25322-68-3:

Remarks: This information is not available.

Carcinogenicity - Assessment:

Animal testing did not show any carcinogenic effects.

9014-93-1:

Remarks: This information is not available.

Carcinogenicity - Assessment:

Carcinogenicity classification not possible from current data.

Reproductive toxicity

Components:

127087-87-0:

Effects on fertility:

Remarks: No data available



GLISTEN SDS

Effects on fetal development:
Remarks: No data available
Reproductive toxicity - Assessment:
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
25322-68-3:
Effects on fertility:
Test Type: Three-generation study
Species: Rat, male and female
Application Route: oral
Dose: 0, 15, 59, 270, 1690 mg/kg bw
General Toxicity - Parent: NOAEL: 60 mg/kg bw
Result: No reproductive effects.
Effects on fetal development: Species: Rat
Application Route: oral
Dose: 1500-5000 mg/kg bw d
Duration of Single Treatment: 9 d
Teratogenicity: NOAEL: 1,500 mg/kg bw
Reproductive toxicity - Assessment: No toxicity to reproduction
Did not show teratogenic effects in animal experiments.
9014-93-1:
Effects on fertility: Remarks: No data available
Effects on fetal development: Remarks: No data available
Reproductive toxicity - Assessment: Fertility classification not possible from current data.
Embryotoxicity classification not possible from current data.
STOT - single exposure
Product: No data available
Components:
127087-87-0:No data available
25322-68-3: Exposure routes: Target Organs:
Assessment: Remarks:
Inhalation
Respiratory system
May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.
9014-93-1:No data available
STOT - repeated exposure

Product: No data available
Components:
127087-87-0:No data available
25322-68-3:No data available
9014-93-1:No data available
Repeated dose toxicity
Components:
127087-87-0:
Species: Rat
Application Route: Oral
Exposure time: 2 y
Dose: 200
Remarks: No adverse effect has been observed in chronic toxicity tests.
25322-68-3:
Species: Dog, male and female
NOAEL: 500 mg/kg
Application Route: Oral
Exposure time: 1 yr
Number of exposures: daily
Dose: 0, 500 mg/kg
9014-93-1:
Remarks: This information is not available.
Aspiration toxicity
Product:
No aspiration toxicity classification
Components:
25322-68-3:
No aspiration toxicity classification
Further information
Product:
Remarks: No data available
Components:
111-76-2:
Acute oral toxicity:
LD50 (Rat): 745 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity:
LC50 (Rat): 550 ppm
Exposure time: 4 h
Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity:
LD50 (Rat): 1,250 mg/kg



GLISTEN SDS

Assessment: The component/mixture is moderately toxic after single contact with skin.

Skin corrosion/irritation

Components:

111-76-2:

Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

111-76-2:

Species: Rabbit

Result: Irritating to eyes.

Respiratory or skin sensitization

Components:

111-76-2:

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

111-76-2:

Genotoxicity in vitro:

Test Type: Mammalian cell gene mutation assay

Test species: Chinese hamster ovary (CHO)

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo:

Test Type: In vivo micronucleus test

Test species: Mouse (male)

Application Route: Intraperitoneal

Result: negative

Germ cell mutagenicity- Assessment:

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

111-76-2:

Species: Mouse

Application Route: Inhalation

Exposure time: 2 yr

Activity duration: 6 h

Frequency of Treatment: 5 days/week

NOAEL: 125 ppm

Result: Limited evidence of carcinogenic effects with no relevance to humans

Carcinogenicity - Assessment:

Not classifiable as a human carcinogen.

Reproductive toxicity

Components:

111-76-2:

Effects on fertility:

Test Type: Two-generation study

Species: Mouse

Application Route: oral

Fertility: NOAEL: 720 mg/kg body weight

Symptoms: Reduced fertility

Result: Reduced fertility at maternally toxic doses

Effects on fetal development:

Test Type: Embryo-fetal development

Species: Rat

Application Route: Inhalation

Duration of Single Treatment: 10 d

Frequency of Treatment: 6 hr/day

Developmental Toxicity: Lowest observed adverse effect level: 100 ppm

Result: Developmental toxicity occurred at maternal toxicity dose levels

Reproductive toxicity - Assessment:

No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Product: No data available

Components:

111-76-2: No data available

STOT - repeated exposure

Product: No data available

Components:

111-76-2: No data available

Repeated dose toxicity

Components:

111-76-2:

Species: Rat

NOAEL: 30

Application Route: Inhalation

Exposure time: 14 wk

Number of exposures: 6 h/d, 5 d/wk



GLISTEN SDS

Aspiration toxicity

Components:

111-76-2:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

Ecotoxicity

Components:

127087-87-0: Toxicity to fish: Remarks: No data available Toxicity to daphnia and other aquatic invertebrates: Remarks: No data available

Toxicity to algae: Remarks: No data available

Ecotoxicology Assessment Acute aquatic toxicity: Toxic to aquatic life.

Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.

25322-68-3: Toxicity to fish: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other aquatic invertebrates: LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae: EC50 (Skeletonema costatum): > 100 mg/l End point: Biomass

Exposure time: 72 h Test Type: Growth inhibition

9014-93-1: Toxicity to fish: Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates: Remarks: No data available

Toxicity to algae: Remarks: No data available

Ecotoxicology Assessment Acute aquatic toxicity: Harmful to aquatic life.

Chronic aquatic toxicity: Harmful to aquatic life with long lasting effects.

111-76-2: Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 1,474 mg/l

Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: no

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 1,800 mg/l

Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no

Toxicity to algae: EC50 (Pseudokirchneriella subcapitata (green algae)): 911 mg/l

End point: Biomass Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201 GLP: no

Components: 67-63-0: Toxicity to fish: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae:

Remarks: No data available

Persistence and degradability

Components:

111-76-2: Biodegradability: aerobic Inoculum: Activated sludge, domestic, adaption notspecified

Result: Readily biodegradable Biodegradation: 90.4 % Exposure time: 28 d

Method: OECD Test Guideline 301B GLP: no

127087-87-0: Biodegradability: Result: Not readily biodegradable.

Biodegradation: < 60 % Exposure time: 28 d Method: OECD Test Guideline 301B



GLISTEN SDS

25322-68-3: Biodegradability: Result: Readily biodegradable
Biodegradation: 90 % Exposure time: 28 d Method: OECD Test Guideline 301F
Chemical Oxygen Demand (COD): 0.00182 mg/g
Theoretical Oxygen Demand (ThOD): 0.00177 mg/g
9014-93-1: Biodegradability: Remarks: No data available

Bioaccumulative potential

Components:

111-76-2: Partition coefficient: n-octanol/water: log Pow: 0.83
Mobility in soil No data available Other adverse effects No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

Toxicity to fish: LC50 (Pimephales promelas (fathead minnow)): 3.8 - 6.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: (Daphnia magna (Water flea)): 9.3 - 21.4 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

25322-68-3: Partition coefficient: n-octanol/water: Pow: 0.2 (30 °C) pH: 6.44

Mobility in soil No data available Other adverse effects No data available

SECTION 13: Disposal considerations

Waste from residues: Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

UN number: 1219

UN proper shipping name: Isopropanol Alcohol Solution

Transport hazard class(es): 3

Packing group, if applicable: II

Environmental hazards (e.g., Marine pollutant (Yes/No)): No.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): n/a

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises:

SECTION 15: Regulatory information

US Federal Regulations:

OSHA Hazards: Combustible Liquid, Harmful by inhalation., Harmful by ingestion., Harmful by skin absorption, Moderate skin irritant, Moderate eye irritant



GLISTEN SDS

WHMIS Classification: B3: Combustible Liquid

D1A: Very Toxic Material Causing Immediate and Serious Toxic Effects

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Fire Hazard

Immediate (Acute) Health Hazard

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

The following components are subject to reporting levels established by SARA Title III, Section 313:

111-76-2

2-Butoxy ethanol

100 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know	111-76-2	2-Butoxy ethanol	90 - 100 %
-----------------------------	----------	------------------	------------

Pennsylvania Right To Know	111-76-2	2-Butoxy ethanol	90 - 100 %
----------------------------	----------	------------------	------------

New Jersey Right To Know	111-76-2	2-Butoxy ethanol	90 - 100 %
--------------------------	----------	------------------	------------

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

United States TSCA Inventory: y

Canadian Domestic Substances List (DSL): y

Australia Inventory of Chemical Substances (AICS): y

New Zealand. Inventory of Chemical Substances: y

Japan. ENCS - Existing and New Chemical Substances Inventory: y

Korea. Korean Existing Chemicals Inventory (KECI): y

Philippines Inventory of Chemicals and Chemical Substances (PICCS): y

China. Inventory of Existing Chemical Substances in China (IECSC): y



GLISTEN SDS

SECTION 16: Other information

The information in this Safety Sheet was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This safety sheet was prepared and is to be used only for this product. If the product is used as a component in another product, this safety sheet information may not be applicable.

